

L Number	Hits	Search Text	DB	Time stamp
11	33	enter\$5 with license adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/10 19:10
	66	dongle with key and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 14:19
	6	dongle with key with (pass\$5 or transmit\$6 or send\$5) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 14:33
	6885	software adj module and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 14:33
	1	software adj module with exchang\$5 with key with identi\$9 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 14:34
	11	software adj module with key with identi\$9 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 14:38
	590	(705/51.ccls. or 705/55.ccls. or 705/56.ccls. or 705/57.ccls.) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 14:40
	72	705/55.ccls. and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 14:45
	39	(pass\$5 or transmit\$6 or send\$5) with key with (delet\$5 or eras\$6) with device and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:05
	2	software adj module with copy with protect\$5 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:03
	0	(705/56.ccls) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:43
	2	(705/56.ccls. and 705/55.ccls.) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:45
	0	(705/56.ccls. with 705/55.ccls.) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:45
	71	(705/56.ccls.) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:45
	6	((705/56.ccls.) and @ad<=19991229) and dongle	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 15:55
	21	(rent\$5) with software with key and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 16:07

	2	((hardware adj key) or dongle) with rent\$5 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 16:22
	4	((hardware adj key) or dongle) with stor\$5 with key with identif\$9 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 16:26
	103	key near2 rent\$3 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 16:24
	8	key near2 rent\$3 near4 (software or program) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 16:24
	10	track\$6 with (dongle or (hardware adj key)) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 17:20
	71	705/56.ccls. and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 17:24
	232	only adj one with computer with (install\$5 or run\$5) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 17:29
	30	only adj one adj2 computer with (install\$5 or run\$5) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 17:47
	5	key adj module with rent\$5 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 17:49
	0	((key adj module) or (hardware adj key) or dongle or (software adj module)) with stor\$5 with identifier with track\$5 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:48
	1	((key adj module) or dongle or (hardware adj key)) with (multiple or plural\$5) adj2 (memory or stor\$4) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 17:58
	5	(rent\$5 or lease) with (key adj module) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 17:57
	7	((key adj module) or dongle or (hardware adj key)) with first adj2 (memory or stor\$4) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:00
	20	((key adj module) or dongle or (hardware adj key) or (software adj module)) with back with key and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:09
	8	(((key adj module) or dongle or (hardware adj key) or (software adj module)) with back with key and @ad<=19991229) not (((key adj module) or dongle) with back with key and @ad<=19991229)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:09
	15	((key adj module) or dongle or (hardware adj key) or (software adj module)) with retriev\$5 with key and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:11

-	6	((key adj module) or dongle or (hardware adj key) or (software adj module)) with track\$5 with key and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:11
-	124	((key adj module) or dongle or (hardware adj key) or (software adj module)) with trac\$5 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:12
-	90	((key adj module) or dongle or (hardware adj key) or (software adj module)) with trac\$3 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:15
-	13	((key adj module) or dongle or (hardware adj key)) with trac\$3 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:17
-	13	(device or module or smart\$card) with track\$3 with rent\$5 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:20
-	13	(device or module or smart\$card or dongle) with track\$3 with rent\$5 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:20
-	0	(dongle or (key adj module) or (hardware adj key)) adj stor\$5 with (user or computer) adj2 (identif\$9 or information or data)and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:22
-	3	(dongle or (key adj module) or (hardware adj key)) with stor\$5 with (user or computer) adj (identif\$9 or information or data)and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:24
-	123	borrow\$6 with record\$5 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:25
-	4	borrow\$6 with record\$5 with module and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:25
-	0	borrow\$6 with stor\$5 with (information or data) with dongle and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:26
-	502	(chip or card or smart\$card) with stor\$5 with key with identif\$8 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:30
-	24	(send\$5 or transmit\$5) with retriev\$6 with key with module and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:45
-	66	(dongle) with key and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 18:59
-	11	track\$5 with (user or computer) with (identif\$9 or information) and dongle and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:08
-	56	stor\$5 adj user adj identifier and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:09

	2	stor\$5 adj user adj identifier with device and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:10
	350	stor\$5 adj2 user adj.(ID or identifier) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:21
	150	track\$5 with user with identifier and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:22
	46	(retriev\$5 or eras\$5) adj2 key near3 computer and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:30
	38	transfer\$5 adj2 possession and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:36
	6	dongle with identifier and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:40
	4	dongle with id and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:42
	4	dongle with id and dongle and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:47
	58	((key adj module) or (hardware adj key) or dongle) with memor\$3 and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 19:54
	19	dongle with memory and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 20:14
	65	705.clas. and dongle and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 20:14
	7	705.clas. and dongle with memory and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 20:20
	73	prevent\$5 with pira\$4 with copy and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 20:21
	19	dongle with (software or program).ab. and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 20:49
	5	(id or identifier) with (load\$3 or stor\$5) with ((hardware adj key) or dongle or (key adj module)) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 20:52
	48	dongle with(receiv\$5 or load\$5 or stor\$5) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 21:06

	32	dongle near3 (receiv\$5 or load\$5 or stor\$5) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 21:10
	24	return\$5 with (borrow\$5 or rent\$5) with software and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/07 21:17
	19	rent\$6 with key with (decrypt\$5 or decipher\$5 or decod\$5) and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/10 09:46
	1	dongle with first with memory and @ad<=19991229	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/10 10:26